SAFETY DATA SHEET

Bath & Body Works Scented Candle Tree Farm

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification	
Product identifier	
Product name	Bath & Body Works Scented Candle Tree Farm
Product number	40000041033
Recommended use of the che	mical and restrictions on use
Application	Scented Candle
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the sa	afety data sheet
Supplier	Bath & Body Works, Distr. 95 West Main Street, New Albany, OH 43054 1-800-395-1001
Emergency telephone number	
Emergency telephone	Verisk 3E (24/7/365)
National emergency telephone number	(In US) +1-800-451-8346 (Outside US) +1-760-602-8703
2. Hazard(s) identification	
Classification of the substance	or mixture
Physical hazards	Not Classified
Health hazards	Skin Sens. 1 - H317
Environmental hazards	Aquatic Acute 3 - H402 Aquatic Chronic 3 - H412
Label elements	
Hazard symbols	
Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P261 Avoid breathing dust. P272 Contaminated work clothing must not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Pin-2(3)-ene, DELTA -3-CARENE
Other hazards	

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients	
Substances	
See 'Composition on	
ingredients' in Section 3.2	
Mixtures	
HF Wax - IGI 1230 Fully Refined Paraffin Wax	10-30%
CAS number: 8002-74-2	
Classification	
Not Classified	
[3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-	<1%
tetramethyl-1H-3a,7-methanoazulene	
CAS number: 469-61-4	
M factor (Acute) = 1 M factor (Chronic) = 1	
Classification	
Asp. Tox. 1 - H304	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	<1%
CAS number: 68039-49-6	
Classification	
Skin Irrit. 2 - H315	
Skin Sens. 1B - H317	
Aquatic Chronic 2 - H411	
DELTA -3-CARENE	<1%
CAS number: 13466-78-9	
Classification	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Skin Sens. 1 - H317	
Asp. Tox. 1 - H304	
Aquatic Chronic 3 - H412	

Pin-2(3)-ene		<1%
CAS number: 80-56-8		
M factor (Acute) = 1	M factor (Chronic) = 1	
Flam. Liq. 3 - H226 Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Camphene		<1%
CAS number: 79-92-5		.,.
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Sol. 1 - H228		
Eye Irrit. 2A - H319		
Asp. Tox. 1 - H304 Aquatic Acute 1 - H400		
Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Linalool		<1%
CAS number: 78-70-6		
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2A - H319		
Skin Sens. 1B - H317		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexa	amethylindeno[5.6-	<1%
c]pyran		
CAS number: 1222-05-5		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Linalyl acetate		<1%
CAS number: 115-95-7		
Classification Skin Irrit. 2 - H315		
Eye Irrit. 2A - H315		
Skin Sens. 1B - H317		

2,6-di-tert-butyl-p-cresol	<1%
CAS number: 128-37-0	
M factor (Chronic) = 1	
Classification	
Aquatic Chronic 1 - H410	
The full text for all hazard state	ements is displayed in Section 16.
4. First-aid measures	
Description of first aid measur	es
General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin Contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Indication of immediate medic	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from t	he substance or mixture
Specific hazards	None known.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	

Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	s
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Miscellaneous hazardous material storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure controls/Persona	I protection
Control parameters	
• • • • •	

Occupational exposure limits

HF Wax - IGI 1230 Fully Refined Paraffin Wax

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ fume

DELTA -3-CARENE

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 112 mg/m³ A4, DSens

2,6-di-tert-butyl-p-cresol

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ inhalable fraction and vapor A4

ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen. DSens = Dermal sensitizer.

Exposure controls

dlb

Protective equipment

Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	No specific hand protection recommended. Avoid contact with skin.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Fragranced wax product.
Color	Characteristic.
Odor	Characteristic.
рН	Not applicable.
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.

Evaporation rate	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Not applicable.	
Vapor pressure	Not applicable.	
Vapor density	Not applicable.	
Relative density	Not applicable.	
Solubility(ies)	Insoluble in water.	
Partition coefficient	Not applicable.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	Not applicable.	
Explosive properties	Not applicable.	
Oxidizing properties	Not applicable.	
10. Stability and reactivity		
Reactivity	See the other subsections of this section for further details.	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.	
11. Toxicological information		
Information on toxicological effects		
Acute toxicity - oral Notes (oral LD₅)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	

Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Not relevant. Solid.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin Contact	Prolonged contact may cause dryness of the skin.
Eye contact	No specific symptoms known.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
12. Ecological information	
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
Persistence and degradability	
Persistence and degradability	The degradability of the product is not known.
Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	Not applicable.
Mobility in soil	
Mobility	No data available.

Other adverse effects	
Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains.
14. Transport information	
UN Number	
UN No. (IMDG)	Not Dangerous Goods
UN No. (ICAO)	Not Dangerous Goods
UN proper shipping name	
Proper shipping name (IMDG)	Not Dangerous Goods
Proper shipping name (ICAO)	Not Dangerous Goods
Transport hazard class(es)	
DOT hazard class	Not Dangerous Goods
IMDG Class	Not Dangerous Goods
ICAO class/division	Not Dangerous Goods
Packing group	
IMDG packing group	Not Dangerous Goods
ICAO packing group	Not Dangerous Goods
Special precautions for user Not applicable.	
15. Regulatory information	

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical None of the ingredients are listed or exempt.

FDA - Precursor Chemical None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt: *HF Wax - IGI 1230 Fully Refined Paraffin Wax 2,6-di-tert-butyl-p-cresol*

Massachusetts "Right To Know" List

The following ingredients are listed or exempt: *HF Wax - IGI 1230 Fully Refined Paraffin Wax 2,6-di-tert-butyl-p-cresol*

Rhode Island "Right To Know" List

The following ingredients are listed or exempt: *HF Wax - IGI 1230 Fully Refined Paraffin Wax 2,6-di-tert-butyl-p-cresol*

Minnesota "Right To Know" List

The following ingredients are listed or exempt: *HF Wax - IGI 1230 Fully Refined Paraffin Wax 2,6-di-tert-butyl-p-cresol*

New Jersey "Right To Know" List

The following ingredients are listed or exempt: *p-mentha-1,4(8)-diene HF Wax - IGI 1230 Fully Refined Paraffin Wax 2,6-di-tert-butyl-p-cresol*

Pennsylvania "Right To Know" List The following ingredients are listed or exempt:

HF Wax - IGI 1230 Fully Refined Paraffin Wax

2,6-di-tert-butyl-p-cresol

Inventories

US - TSCA

The following ingredients are listed or exempt: Methyl 2,4-dihydroxy-3,6-dimethylbenzoate 1,4-methanoazulene, decahydro- 4,8,8-trimethyl-9-methylene-, (1S- (1alpha,3abeta,4alpha,8abeta))-Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acetate [3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene 2,4-dimethylcyclohex-3-ene-1-carbaldehyde DELTA -3-CARENE L-born-2-yl acetate Camphene p-mentha-1,4(8)-diene hexyl acetate Isocyclocitral HF Antioxidant - Irganox 1010 HF Wax - IGI 1230 Fully Refined Paraffin Wax HF Wax - IGI 5701 HF Butyl Stearate - Lexol NBS HF Wax - IGI 5765A

A mixture of: bis(2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-1,10-decanedioate; 1,8-bis[(2,2,6,6-tetramethyl-4-((2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-decan-1,10-dioyl)piperidin-1-yl)oxy]octane

reaction mass of branched and linear C7-C9 alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4hydroxyphenyl]propionates

2,6-di-tert-butyl-p-cresol

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

Classification abbreviations and acronyms	Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Training advice	Only trained personnel should use this material.
Revision date	11/5/2019
Revision	1
SDS No.	5697

Hazard statements in full	H226 Elemmetric liquid and vener
	H226 Flammable liquid and vapor.
	H228 Flammable solid.
	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H402 Harmful to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.